

**Table 1. Average Dose**

| <b>Dose in mg/kg/day<br/>Avg ± SD<br/>(Min - Max)</b> | <b>All Patients</b> | <b>Transition</b>   | <b>Naïve</b>        |
|---|---------------------|---------------------|---------------------|
| <b>Initial Prescription</b>                           | 24 ± 14<br>(2 - 88) | 26 ± 15<br>(2 - 88) | 20 ± 12<br>(4 - 55) |
| <b>Latest Prescription</b>                            | 31 ± 17<br>(2 - 99) | 28 ± 17<br>(2 - 99) | 35 ± 17<br>(5 - 97) |
| <b>All Prescriptions</b>                              | 27 ± 16<br>(2 - 99) | 27 ± 16<br>(2 - 99) | 28 ± 17<br>(4 - 97) |

**Table 2. Frequency of Dose Ranges - Latest Prescription**

| <b>Dose<br/>mg/kg/day</b> | <b>Avg ± SD</b> | <b>n</b>   | <b>%</b>    | <b>Cumulative<br/>%</b> |
|---------------------------|-----------------|------------|-------------|-------------------------|
| <b>1 - 9</b>              | 7 ± 2           | 17         | 5%          | 5%                      |
| <b>10 - 19</b>            | 14 ± 3          | 100        | 27%         | 32%                     |
| <b>20 - 29</b>            | 24 ± 3          | 82         | 22%         | 54%                     |
| <b>30 - 39</b>            | 34 ± 3          | 68         | 18%         | 72%                     |
| <b>40 - 49</b>            | 44 ± 3          | 46         | 12%         | 85%                     |
| <b>50 - 59</b>            | 54 ± 3          | 36         | 10%         | 94%                     |
| <b>60 - 69</b>            | 63 ± 3          | 10         | 3%          | 97%                     |
| <b>70 - 79</b>            | 73 ± 3          | 5          | 1%          | 98%                     |
| <b>80 - 89</b>            | 86 ± 3          | 4          | 1%          | 99%                     |
| <b>90 - 99</b>            | 98 ± 1          | 2          | 1%          | 100%                    |
| <b>Total</b>              | <b>31</b>       | <b>370</b> | <b>100%</b> |                         |