

<b>Variables</b>	<b>&lt;2 Failed ASMs %, (n)</b>	<b>&gt;2 Failed ASMs %, (n)</b>	<b>Significance</b>
<b>Type of 1<sup>st</sup> Seizure (n=397)</b>			
Focal Onset	89.5% (178)	81.3% (161)	<i>p</i> =0.054
Generalized Onset	6.5% (13)	15.7% (31)	
Unknown Onset	3.5% (7)	3% (6)	
Subclinical Onset	0.5% (1)		
<b>Frequency of 1<sup>st</sup> Seizure (n=397)</b>			
Daily	29.7% (59)	45% (89)	<i>p</i> <0.001
Weekly	32.2% (64)	32.3% (64)	
Monthly	21.6% (43)	15.7% (31)	
>Monthly	16.6% (33)	7% (14)	
<b>Etiology (n=410, &gt;1 selection allowed)</b>			
Structural Congenital	33.5% (68)	24.5% (51)	<i>p</i> =0.053
Structural Acquired	27.1% (55)	24.5% (51)	
Genetic	6.9% (14)	14.9% (31)	
Infectious	1.5% (3)	1% (2)	
Inflammatory/Autoimmune	1% (2)	3.8% (8)	
Metabolic	0% (0)	0.5% (1)	
Unknown	28.5% (58)	28.8% (60)	
Other	1.5% (3)	2% (4)	
<b>Neurological Exam (n=392)</b>			
Normal	61.6% (122)	40.2% (78)	<i>p</i> <0.001
Abnormal	38.4% (76)	59.8% (116)	
<b>Other Failed Treatments (n=409, &gt; 1 selection allowed)</b>			
None	92.1% (187)	74.7% (154)	<i>p</i> <0.001
Dietary Therapy	4.4% (9)	18% (37)	
Vagal Nerve Stimulator	2% (4)	4.4% (9)	
Other	1.5% (3)	2.9% (6)	
<b>Was Surgery Performed? (n=218)</b>			
Yes	87.6% (92)	73% (81)	<i>p</i> =0.02
No	12.4% (15)	27% (30)	
<b>Procedure Performed (n=179, &gt;1 selection allowed)</b>			
Lobectomy	31.6% (31)	18.5% (15)	<i>p</i> =0.001
Lesionectomy	29.6% (29)	16% (13)	
Neuromodulation	11.2% (11)	21% (17)	
Thermal Ablation	11.2% (11)	6.2% (5)	
Hemispherectomy	10.2% (10)	17.3% (14)	
Hemispherectomy	1.1% (1)	11.1% (9)	
Callosotomy	5.1% (5)	9.9% (8)	
Other			
<b>Intent of Surgery (n=173)</b>			
Definitive	80% (74)	55.5% (45)	<i>p</i> =0.001
Palliative	20% (18)	44.5% (36)	

