

	All Patients	English	Language Other than English	p-value
Total Patients	282	197	85	
Mean Age (SD)	6.6 (5.0)	6.2 (4.9)	7.6 (4.9)	0.01
Gender (%)				
Female	127 (45)	81 (41)	46 (54)	0.04
Male	155 (55)	116 (59)	39 (46)	
Leukemia Type (%)				
ALL	250 (89)	174 (88)	76 (89)	0.8
AML	22 (8)	16 (8)	6 (7)	0.7
Other	10 (3)	7 (4)	3 (4)	1
Race (%)				
Asian	24 (9)	15 (8)	9 (11)	0.4
Native Hawaiian or Other Pacific Islander	1 (0.3)	1 (0.5)	0 (0)	0.5
Black	10(4)	10 (5)	0 (0)	0.03
White	93 (33)	85 (43)	8 (9)	<0.0001
Multiracial	26 (9)	23 (12)	3 (4)	0.04
Other	128 (45)	63 (32)	65 (76)	<0.0001
Ethnicity (%)				
Hispanic	135 (48)	63 (32)	72 (85)	<0.0001
Non-Hispanic	147 (52)	134 (68)	13 (15)	
Immigration History (%)				
Born in US	183 (65)	128 (65)	55 (65)	1
Immigrated within 5 years of diagnosis	17 (6)	6 (3)	11 (13)	0.0012
Immigrated within 10 years of diagnosis	3 (1)	2 (1)	1 (1)	1
Immigrated greater than 10 years from diagnosis	4 (1)	1 (0.5)	3 (3)	0.08
Unknown	75 (27)	60 (30)	15 (18)	0.04
Insurance Type (%)				
Medicaid	195 (69)	115 (58)	80 (94)	<0.0001
Private	86 (30)	81 (41)	5 (6)	<0.0001
Military	1 (0.3)	1 (1)	0 (0)	0.4
Mean Number of Reported Social Needs (SD)	0.9 (1.3)	0.7 (1.2)	1.3 (1.3)	0.0002
Median Time to Diagnosis (IQR)	20.5 (7,34.8)	21 (7,35)	14 (7, 28)	0.74
Mean Encounters Prior to Diagnosis (SD)	1.6 (2.0)	1.5 (18)	1.7 (2.4)	0.66
Presence of Tumor Lysis Syndrome on Diagnosis (%)	95 (34)	61 (30)	34 (40)	0.11