

Table 1. Symptom summary: EPIC and PCSI

| | Discussed by provider and noted in EPIC? N = 19 ¹ | Reporte d (positive) by provider in EPIC? N = 19 ¹ | PCSI score N = 19 ² | PCSI score > 0 N = 19 ¹ | PCSI score ≥ 3 N = 19 ¹ | Missed EPIC Symptom with PCSI > 0 N = 19 ³ | Missed EPIC Symptom with PCSI ≥ 3 N = 19 ³ | Discordance: EPIC + vs. PCSI > 0 N = 19 ⁴ | Discordance: EPIC + vs. PCSI ≥ 3 N = 19 ⁴ |
|-----------------------|--|---|--|---|--|--|---|---|--|
| Headache | 15 (79%) | 12 (63%) | 3.00 (2.00, 5.00) | 18 (95%) | 12 (63%) | 4 / 18 (22%) | 2 / 12 (17%) | 2 / 15 (13%) | 4 / 15 (27%) |
| Undocumented | | | | | | 1 | 7 | 4 | 4 |
| Nausea or vomiting | 13 (68%) | 8 (42%) | 1.00 (0.00, 2.00) | 10 (53%) | 3 (16%) | 4 / 10 (40%) | 1 / 3 (33%) | 6 / 13 (46%) | 6 / 13 (46%) |
| Undocumented | | | | | | 9 | 16 | 6 | 6 |
| Blurred vision | 9 (47%) | 4 (21%) | 2.00 (0.50, 3.50) | 14 (74%) | 8 (42%) | 8 / 14 (57%) | 5 / 8 (63%) | 6 / 9 (67%) | 3 / 9 (33%) |
| Undocumented | | | | | | 5 | 11 | 10 | 10 |
| Dizziness | 8 (42%) | 5 (26%) | 2.00 (1.00, 3.50) | 15 (79%) | 7 (37%) | 9 / 15 (60%) | 3 / 7 (43%) | 5 / 8 (63%) | 3 / 8 (38%) |
| Undocumented | | | | | | 4 | 12 | 11 | 11 |
| Neck Pain | 7 (37%) | 5 (26%) | 1.00 (0.00, 4.00) | 12 (63%) | 7 (37%) | 6 / 12 (50%) | 2 / 7 (29%) | 3 / 7 (43%) | 4 / 7 (57%) |

Table 1. Symptom summary: EPIC and PCSI

| | Discussed by provider and noted in EPIC? N = 19 ¹ | Reporte d (positive) by provider in EPIC? N = 19 ¹ | PCSI score N = 19 ² | PCSI score > 0 N = 19 ¹ | PCSI score ≥ 3 N = 19 ¹ | Missed EPIC Symptom with PCSI > 0 N = 19 ³ | Missed EPIC Symptom with PCSI ≥ 3 N = 19 ³ | Discordance: EPIC + vs. PCSI > 0 N = 19 ⁴ | Discordance: EPIC + vs. PCSI ≥ 3 N = 19 ⁴ |
|------------------------|--|---|--|---|--|--|---|---|--|
| Undocumented | | | | | | 7 | 12 | 12 | 12 |
| Difficulty remembering | 6 (32%) | 6 (32%) | 2.00 (0.50, 3.00) | 14 (74%) | 7 (37%) | 9 / 14 (64%) | 3 / 7 (43%) | 1 / 6 (17%) | 2 / 6 (33%) |
| Undocumented | | | | | | 5 | 12 | 13 | 13 |
| Sensitivity to light | 5 (26%) | 4 (21%) | 3.00 (0.00, 5.00) | 12 (63%) | 10 (53%) | 7 / 12 (58%) | 5 / 10 (50%) | 1 / 5 (20%) | 1 / 5 (20%) |
| Undocumented | | | | | | 7 | 9 | 14 | 14 |
| Balance problems | 4 (21%) | 2 (11%) | 2.00 (0.50, 4.00) | 14 (74%) | 8 (42%) | 12 / 14 (86%) | 6 / 8 (75%) | 2 / 4 (50%) | 2 / 4 (50%) |
| Undocumented | | | | | | 5 | 11 | 15 | 15 |
| Sensitivity to Noise | 3 (16%) | 2 (11%) | 2.00 (0.50, 4.50) | 14 (74%) | 9 (47%) | 12 / 14 (86%) | 7 / 9 (78%) | 0 / 3 (0%) | 0 / 3 (0%) |
| Undocumented | | | | | | 5 | 10 | 16 | 16 |

Table 1. Symptom summary: EPIC and PCSI

| | Discussed by provider and noted in EPIC? N = 19 ¹ | Reporte d (positive) by provider in EPIC? N = 19 ¹ | PCSI score N = 19 ² | PCSI score > 0 N = 19 ¹ | PCSI score ≥ 3 N = 19 ¹ | Missed EPIC Symptom with PCSI > 0 N = 19 ³ | Missed EPIC Symptom with PCSI ≥ 3 N = 19 ³ | Discordance: EPIC + vs. PCSI > 0 N = 19 ⁴ | Discordance: EPIC + vs. PCSI ≥ 3 N = 19 ⁴ |
|--------------------------|--|---|--|---|--|--|---|---|--|
| Fatigue or low energy | 3 (16%) | 1 (5.3%) | 3.00 (2.00, 4.00) | 17 (89%) | 11 (58%) | 15 / 17 (88%) | 10 / 11 (91%) | 3 / 3 (100%) | 2 / 3 (67%) |
| Undocumented | | | | | | 2 | 8 | 16 | 16 |
| Nervous or Anxious | 2 (11%) | 2 (11%) | 2.00 (0.00, 2.50) | 12 (63%) | 5 (26%) | 10 / 12 (83%) | 4 / 5 (80%) | 0 / 2 (0%) | 1 / 2 (50%) |
| Undocumented | | | | | | 7 | 14 | 17 | 17 |
| Feeling slowed down | 1 (5.3%) | 1 (5.3%) | 3.00 (1.50, 5.00) | 16 (84%) | 11 (58%) | 15 / 16 (94%) | 10 / 11 (91%) | 0 / 1 (0%) | 0 / 1 (0%) |
| Undocumented | | | | | | 3 | 8 | 18 | 18 |
| Difficulty concentrating | 1 (5.3%) | 0 (0%) | 2.00 (1.00, 4.00) | 15 (79%) | 7 (37%) | 14 / 15 (93%) | 7 / 7 (100%) | 1 / 1 (100%) | 0 / 1 (0%) |
| Undocumented | | | | | | 4 | 12 | 18 | 18 |
| Confusion | 1 (5.3%) | 0 (0%) | 1.00 (1.00, 3.00) | 15 (79%) | 6 (32%) | 14 / 15 (93%) | 6 / 6 (100%) | 1 / 1 (100%) | 0 / 1 (0%) |

Table 1. Symptom summary: EPIC and PCSI

| | Discussed by provider and noted in EPIC? N = 19 ¹ | Reporte d (positive) by provider in EPIC? N = 19 ¹ | PCSI score N = 19 ² | PCSI score > 0 N = 19 ¹ | PCSI score ≥ 3 N = 19 ¹ | Missed EPIC Symptom with PCSI > 0 N = 19 ³ | Missed EPIC Symptom with PCSI ≥ 3 N = 19 ³ | Discordance: EPIC + vs. PCSI > 0 N = 19 ⁴ | Discordance: EPIC + vs. PCSI ≥ 3 N = 19 ⁴ |
|----------------------------|--|---|--|---|--|--|---|---|--|
| Undocumented | | | | | | 4 | 13 | 18 | 18 |
| “Pressure in head” | 0 (0%) | 0 (0%) | 3.00 (1.50, 5.00) | 15 (79%) | 12 (63%) | 15 / 15 (100%) | 12 / 12 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |
| Undocumented | | | | | | 4 | 7 | 19 | 19 |
| Feeling like “in a fog“ | 0 (0%) | 0 (0%) | 3.00 (0.00, 4.00) | 13 (68%) | 11 (58%) | 13 / 13 (100%) | 11 / 11 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |
| Undocumented | | | | | | 6 | 8 | 19 | 19 |
| “Don’t feel right” | 0 (0%) | 0 (0%) | 3.00 (1.00, 4.00) | 16 (84%) | 11 (58%) | 16 / 16 (100%) | 11 / 11 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |
| Undocumented | | | | | | 3 | 8 | 19 | 19 |
| Drowsiness | 0 (0%) | 0 (0%) | 2.00 (0.50, 4.00) | 14 (74%) | 7 (37%) | 14 / 14 (100%) | 7 / 7 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |
| Undocumented | | | | | | 5 | 12 | 19 | 19 |
| More emotional | 0 (0%) | 0 (0%) | 0.00 | 9 (47%) | 4 (21%) | 9 / 9 (100%) | 4 / 4 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |

Table 1. Symptom summary: EPIC and PCSI

| | Discussed by provider and noted in EPIC? N = 19 ¹ | Reporte d (positive) by provider in EPIC? N = 19 ¹ | PCSI score N = 19 ² | PCSI score > 0 N = 19 ¹ | PCSI score ≥ 3 N = 19 ¹ | Missed EPIC Symptom with PCSI > 0 N = 19 ³ | Missed EPIC Symptom with PCSI ≥ 3 N = 19 ³ | Discordance: EPIC + vs. PCSI > 0 N = 19 ⁴ | Discordance: EPIC + vs. PCSI ≥ 3 N = 19 ⁴ |
|--|--|---|--|---|--|--|---|---|--|
| | | | (0.00, 2.00) | | | | | | |
| Undocumented | | | | | | 10 | 15 | 19 | 19 |
| Irritability | 0 (0%) | 0 (0%) | 1.00 (0.00, 3.50) | 12 (63%) | 6 (32%) | 12 / 12 (100%) | 6 / 6 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |
| Undocumented | | | | | | 7 | 13 | 19 | 19 |
| Sadness | 0 (0%) | 0 (0%) | 1.00 (0.00, 2.50) | 10 (53%) | 5 (26%) | 10 / 10 (100%) | 5 / 5 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |
| Undocumented | | | | | | 9 | 14 | 19 | 19 |
| Trouble falling asleep (if applicable) | 0 (0%) | 0 (0%) | 1.00 (0.00, 2.50) | 11 (58%) | 5 (26%) | 11 / 11 (100%) | 5 / 5 (100%) | 0 / 0 (NA%) | 0 / 0 (NA%) |
| Undocumented | | | | | | 8 | 14 | 19 | 19 |

¹ n (%)

² Median (IQR)

Table 1. Symptom summary: EPIC and PCSI

| Discussed by provider and noted in EPIC? | Reported (positive) by provider in EPIC? | PCSI score | PCSI score > 0 | PCSI score ≥ 3 | Missed EPIC Symptom with PCSI > 0 | Missed EPIC Symptom with PCSI ≥ 3 | Discordance: EPIC + vs. PCSI > 0 | Discordance: EPIC + vs. PCSI ≥ 3 |
|---|---|---------------------|--------------------------|-----------------------|---|--|--|---|
| N = 19 ¹ | N = 19 ¹ | N = 19 ² | N = 19 ¹ | N = 19 ¹ | N = 19 ³ | N = 19 ³ | N = 19 ⁴ | N = 19 ⁴ |

³ Missed symptom N (missed symptom %). Missed symptom defined as symptom reported in PCSI (either > 0 or ≥ 3, see column headers) but not discussed by provider.

⁴ Discordance N (discordance %). Discordance defined as disagreement between symptom indicators. Discordance % = discordant N / total N evaluated by both PCSI and EPIC.