

NICU Provider Survey (N=14)	N (%)	Criteria for NICU Follow-up	N (%)
<b>Level of NICU, n (%)</b>		Birth weight <sup>1</sup>	13 (93)
Level III	10 (71)	Gestational Age <sup>2</sup>	13 (93)
Level IV	4 (29)	Neonatal Opiate Withdrawal Syndrome	12 (86)
<b>Role of Respondent</b>		Hypoxic Ischemic Encephalopathy	11 (79)
Medical Director	6 (43)	Seizures	9 (64)
NICU Manager	4 (29)	Cardiac Surgery	6 (43)
Nurse Manager	2 (14)	Non-Cardiac Surgery	5 (36)
Discharge Coordinator	1 (7)	Extra Corporeal Membrane Oxygenation	4 (29)
Lactation Consultant	1 (7)	Genetic Diagnosis	3 (21)
		Perinatal Brain Injury	1 (7)
		Hyperbilirubinemia at exchange threshold	1 (7)
		Apgar <5 at 5 min	1 (7)
Clinic Provider Survey (N=13)	N (%)	Clinic Characteristics	N (%)
<b>Type of Clinic, n (%)</b>		<b>Number of Patients Seen per Month</b>	
Early Intervention Program	10 (77)	Less than 10	5 (38)
Neurodevelopmental Clinic	3 (23)	10-20	4 (31)
<b>Role of Respondent</b>		21-30	2 (15)
Director	6 (46)	31-40	1 (8)
Program Manager	3 (23)	More than 40	1 (8)
Care Manager	2 (15)	<b>Clinic Utilizes Telehealth</b>	9 (69)
Family Resource Coordinator	1 (8)	<b>Clinic Tracks No Shows</b>	9 (69)
Lead Therapist	1 (8)	<b>% No Show at First Visit<sup>3</sup></b>	
		0-25%	8 (89)
		Unknown	1 (11)
		<b>% No Shows at 12-Month Visit<sup>3</sup></b>	
		0-25%	4 (44)
		Unknown	5 (56)