

Table 2: Anthropometric and Study Diet Characteristics

	Donor Milk	Preterm Formula	P value
Anthropometrics at study entry			
Weight (g), median (IQR)	814 (670–961)	776 (680–945)	0.76
Length (cm), median (IQR)	34 (31–35.5)	33.5 (31.5–36)	0.62
Head circumference (cm), median (IQR)	23.5 (21.5–25)	23.5 (21.5–24.5)	0.71
Weight z-score, median (IQR)	-1.2 (-1.6– -0.9)	-1.2 (-1.6– -1.0)	0.61
Length z-score, median (IQR)	-1.2 (-1.8– -0.7)	-1.1 (-1.8– -0.7)	0.62
Head circumference z-score, median (IQR)	-1.7 (-2.2– -1.2)	-1.8 (-2.3– -1.1)	0.96
Anthropometrics at hospital discharge			
Weight (g), median (IQR)	2380 (1968–2920)	2700 (2138–3115)	0.03
Length (cm), median (IQR)	44 (41–45.5)	44.25 (42–47)	0.14
Head circumference (cm), median (IQR)	31 (29.8–32.5)	32 (30–33)	0.13
Weight z-score, median (IQR)	-1.8 (-2.5– -1.1)	-1.2 (-2.0– -0.5)	0.002
Length z-score, median (IQR)	-2.5 (-3.7– -1.5)	-2.0 (-3.1– -1.4)	0.21
Head circumference z-score, median (IQR)	-2.1 (-2.9– -1.0)	-1.7 (-2.6– -0.9)	0.14
Study diet characteristics			
Total duration	57 (30.5–76)	56 (30–73)	0.74
Postnatal days at study entry, median (IQR)	14 (11–17)	15 (11–18)	0.39
Postmenstrual age at study entry (weeks), median (IQR)	28 (26–29)	28 (27–29)	0.84
Days on 20 kcal/oz, mean (SD)	5 (8)	-	-
Proportion of study days on 20 kcal/oz, mean (SD)	15 (26)	-	-
Days on 24 kcal/oz, mean (SD)	13 (17)	19 (18)	0.01
Proportion of study days on 24 kcal/oz, mean (SD)	27 (27)	48 (38)	0.12
Days on 27 kcal/oz, mean (SD)	18 (18)	19 (21)	0.79
Proportion of study days on 27 kcal/oz, mean (SD)	32 (29)	30 (31)	0.09
Days on 30 kcal/oz, mean (SD)	13 (18)	11 (18)	0.28
Proportion of study days on 30 kcal/oz, mean (SD)	18 (23)	16 (25)	0.10
Days on 35 kcal/oz, mean (SD)	5 (13)	4 (13)	0.62
Proportion of study days on 35 kcal/oz, mean (SD)	7 (18)	6 (17)	0.48