Total Respondents	Intention to Use (N=196)			Comfort with Device (N=198)		
n (%)	Benefit*	Non- Benefit	p-value	Benefit*	Non- Benefit	p-value
Clinical unit (> 50%						
time)			0.951			0.491
Obstetrics (N=33)	21 (63.6%)	12 (36.4%)		17 (47.2%)	19 (52.7%)	
Pediatrics (N=41)	26 (63.4%)	15 36.6%)		17 (39.6%)	26 (60.4)	
NICU (N=89)	53 (59.6%)	36 (40.4%)		42 (45.7%)	50 (54.3%)	
Multiple units						
(N=25)	14 (58.3%)	10 (41.7%)		14 (65%)	11 (44%)	
Role			0.355			0.117
Physician (N=74)	49 (66.2%)	25 (33.8%)		28 (37.8%)	46 (62.2%)	
Nurse (N=92)	53 (57%)	39 (43.4%)		44 (47.3%)	49 (52.7%)	
Other (N=33)	22 66.6%)	11 (33.3%)		19 (57.6%)	14 (42.4%)	
Years from						
Terminal Degree			0.199			0.131
≤ 5 yrs (N=111)	73 (66.4%)	37 (33.6%)		55 (49.5%)	56 (50.5%)	
>5 yrs (N=60)	26 (43.3%)	34 (56.7%)		33 (40.1%)	49 (59.8%)	
Ancestry			1			1
Foreign Born						
(N=49)	30 (61.4%)	19 (38.8%)		20 (42.6%)	27 (57.4%)	
Domestic Born						
(N=146)	91 (62.3%)	55 (36.7%)		61 (43.6%)	79 (56.4%)	
Race			0.017			0.137
White (N=121)	66 (54.5%)	55 (45.5%)		55 (46.6%)	63 (53.4%)	
Black or African						
American (N=15)	12 (80%)	3 (20%)		3 (20%)	12 (80%)	
Other (N=41)	30 (73.2%)	11 (26.8%)		20 (47.6%)	22 (52.4%)	
Ethnicity			1			1
Non-Hispanic						
(N=165)	103 (62.4%)	62 (37.6%)		68 (42.8%)	91 (57.2%)	
Hispanic (N=19)	12 (63.2%)	7 (36.8%)		7 (43.8%)	9 (56.3%)	
Respondents who		,				
personally uses a						
language other						
than English			1			0.0983
Yes (N=83)	50 (60.2%)	33 (39.8%)		37 (44%)	47 (56%)	
No (N=111)	68 (61.3%)	-		, ,	64 (57.1%)	