

Table 3: Healthcare Utilization and Resource Allocation in Neonates with Congenital Syphilis

Characteristic	N = 55
Length of stay (days)	
Mean (SD)	11.9 (21.3)
Median [Q1: Q3]	7.0 [2.0 - 11.0]
ED visits	
Mean (SD)	4.8 (7.3)
Median [Q1: Q3]	3.0 [0.0 - 7.0]
Gastroenterology visits	
Mean (SD)	0.3 (1.7)
Median [Q1: Q3]	0.0 [0.0 - 0.0]
Neurology visits	
Mean (SD)	0.2 (1.0)
Median [Q1: Q3]	0.0 [0.0 - 0.0]
Ophthalmology visits	
Mean (SD)	1.0 (2.4)
Median [Q1: Q3]	0.0 [0.0 - 0.0]
Physical Therapy visits	
Mean (SD)	0.6 (1.9)
Median [Q1: Q3]	0.0 [0.0 - 0.0]
Infectious Disease visits	
Mean (SD)	1.5 (2.6)
Median [Q1: Q3]	0.0 [0.0 - 2.5]
Speech Therapy visits	
Mean (SD)	0.9 (2.9)
Median [Q1: Q3]	0.0 [0.0 - 0.0]
Pediatric Learning and Development visits	
Mean (SD)	0.8 (3.0)
Median [Q1: Q3]	0.0 [0.0 - 0.0]
Hospital and Specialty Care Visit Rates	
Readmission, n (%)	5 (9.1%)
ED, n (%)	39 (70.9%)
Gastroenterology, n (%)	3 (5.5%)
Neurology, n (%)	2 (3.6%)
Ophthalmology, n (%)	13 (23.6%)
Physical Therapy, n (%)	8 (14.5%)
Infectious Disease, n (%)	19 (34.5%)
Speech Therapy, n (%)	8 (14.5%)
Pediatric Learning and Development, n (%)	10 (18.2%)