

Risk Stratification	Score 0	Score 1	Score 2	DATE	DATE	DATE	DATE
Age	3 years - 18 years	12-35 months	birth- 12 months				
PCP	Established PCP -With a medical home	Established PCP -without a medical home	No PCP -No medical home				
Hospitalizations (last 6 months)	0	1	2+				
ED visits (last 6 months)	0-1	2	3+				
Office Visits: Attending age appropriate preventative visits  < 12 months: 5 WCC  13 months-24 months: 3 WCC  >25 months: 1 WCC per year	•Attending age appropriate preventative visits ?		•Not attending age appropriate preventative visits or over using PCP.				
Specialty visits:	Independently Attending and making appointments  OR  4 or less specialist AND independently managing	No showing/Not rescheduling 1-2 specialty visits  OR  More than 4 specialists AND independently managing	NO showing, not rescheduling 3< specialty visits  OR  More than 4 specialists AND NOT independently managing				
Equipment (DME)	None	1	2+				
Current Prescription Medications	0-1 meds	2-4 meds	5+ meds/oxygen use				

Language/communication	<ul style="list-style-type: none"> <li>• Does not require assistance navigating through health care interpretation system</li> </ul>	<ul style="list-style-type: none"> <li>• Requires some help navigating through health care system interpretation system</li> </ul>	Care Taker is unable to access interpretation services for health care needs.				
Health Literacy	<ul style="list-style-type: none"> <li>• Demonstrates understanding of health info</li> <li>• Independently seeks health information.</li> <li>• Calls ahead of time for Rx refills</li> <li>• Care taker able to schedule appointments</li> </ul>	<ul style="list-style-type: none"> <li>• Requires some reinforcement</li> </ul>	<ul style="list-style-type: none"> <li>• Memory/Cognitive Impairment</li> <li>• Does not understand who to call for what issue (prescriptions, medical concerns, equipment)</li> <li>• Requires routine reinforcement</li> <li>• Needs Care Manager to assist appointments, help with bills or programs</li> </ul>				
Health literacy with navigation and access.	<ul style="list-style-type: none"> <li>• Independently seeks health info and appropriately seeks health after trouble shooting</li> </ul>	<ul style="list-style-type: none"> <li>• Requires limited (1 or less) reinforcement (scripts, scheduling, afterhours?)</li> </ul>	<ul style="list-style-type: none"> <li>• Unable to navigate through the health care system (Appts/DME/ETC)</li> <li>• CS team helping with multiple aspects health navigation</li> </ul>				
Agency Involvement	none	past DCFS involvement	current DCFS involvement				
Family/Home Stressors	none	<ul style="list-style-type: none"> <li>• 1 family member in the home with mental health dx or chronic medical problems</li> <li>• 1 life stressor (divorce, young parent &lt;21, moving, unemployment, difficulty with transportation)</li> </ul>	<ul style="list-style-type: none"> <li>• 2+ family members with mental health dx or chronic medical problems</li> <li>• 2+ life stressors</li> <li>• homelessness</li> <li>• substance abuse, emotional abuse/domestic violence</li> <li>• suicidal patient or family member</li> <li>• caregiver legal problems</li> </ul>				
Other Psychosocial Needs On Social check Examples: MCCW, transportation, housing, utilities, medical insurance, medical billing, school enrollment, food banks, employment...	Needs one resource and is able to be completed independently.	-Care taker needs assistance with one application	2< and needs ongoing CS assistance 1 point per need or application				
Comments			SCORE				
Total Score	Low Risk: <b>0-8</b>	Medium Risk: <b>9-12</b>	High Risk: <b>13+</b>				
Acuity	Monitor	Medium	High				
Contact with CM	1x/month	2x/month or 3x Month & Concerns Easily resolved	3x +/-month or 2x/month and complex/time consuming				
SPOC Update Frequency		Every 6 months	Every 3 months				

	Every 12 months/@Transition - Discharge						
--	---	--	--	--	--	--	--