

WHO Priority Pathogen	Antimicrobial Resistance of Concern	Overall percentage of deaths with resistance among those tested (n/N)	Percentage of community deaths with resistance among those tested (n/N)	Percentage of facility deaths with resistance among those tested (n/N)	P value
<i>Klebsiella pneumoniae</i>	3 rd generation cephalosporin	77.2% (200/259)	36.7% (18/49)	86.7% (182/210)	<0.001
<i>Klebsiella pneumoniae</i>	Carbapenem	23.2% (53/228)	19.4% (7/36)	24.0% (46/192)	0.670
<i>Escherichia coli</i>	3 rd generation cephalosporin	46.5% (59/127)	25.5% (12/47)	58.8% (47/80)	<0.001
<i>Escherichia coli</i>	Carbapenem	6.1% (6/98)	0.0% (0/34)	9.4% (6/64)	0.089
<i>Acinetobacter baumannii</i>	Carbapenem	84.1% (37/44)	0.0% (0/2)	88.1% (37/42)	0.022
<i>Salmonella spp.</i>	Fluoroquinolone	11.1% (1/9)	0.0% (0/4)	20.0% (1/5)	1.000
<i>Shigella spp.</i>	Fluoroquinolone	0.0% (0/1)	0.0% (0/1)	--	--
<i>Enterococcus faecium</i>	Vancomycin	0.0% (0/30)	0.0% (0/3)	0.0% (0/27)	1.000
<i>Pseudomonas aeruginosa</i>	Carbapenem	24.0% (6/25)	--	24.0% (6/25)	--
<i>Enterobacter spp.</i>	3 rd generation cephalosporin	61.5% (8/13)	0.0% (0/4)	88.9% (8/9)	0.007
<i>Enterobacter spp.</i>	Carbapenem	21.4% (3/14)	0.0% (0/5)	33.3% (3/9)	0.258
<i>Enterobacter cloacae</i>	3 rd generation cephalosporin	62.2% (23/37)	11.1% (1/9)	78.6% (22/28)	<0.001
<i>Enterobacter cloacae</i>	Carbapenem	11.6% (5/43)	7.7% (1/13)	13.3% (4/30)	1.000
<i>Staphylococcus aureus</i>	Methicillin	34.9% (15/43)	25.0% (4/16)	40.7% (11/27)	0.342
<i>Citrobacter freundii</i>	3 rd generation cephalosporin	33.3% (3/9)	0.0% (0/4)	60.0% (3/5)	0.167
<i>Citrobacter braakii</i>	3 rd generation cephalosporin	0.0% (0/1)	0.0% (0/1)	--	--
<i>Citrobacter youngae</i>	3 rd generation cephalosporin	0.0% (0/1)	0.0% (0/1)	--	--
<i>Citrobacter koseri</i>	3 rd generation cephalosporin	66.7% (2/3)	0.0% (0/1)	100.0% (2/2)	0.333
<i>Citrobacter amalonaticus</i>	3 rd generation cephalosporin	66.7% (2/3)	--	66.7% (2/3)	--
<i>Citrobacter diversus</i>	3 rd generation cephalosporin	0.0% (0/2)	0.0% (0/1)	0.0% (0/1)	1.000
<i>Proteus vulgaris</i>	3 rd generation cephalosporin	50.0% (1/2)	0.0% (0/1)	100.0% (1/1)	1.000
<i>Serratia marcescens</i>	3 rd generation cephalosporin	40.0% (2/5)	0.0% (0/1)	50.0% (2/4)	1.000
<i>Serratia odorifera</i>	3 rd generation cephalosporin	0.0% (0/1)	0.0% (0/1)	--	--
<i>Serratia ficaria</i>	3 rd generation cephalosporin	0.0% (0/1)	0.0% (0/1)	--	--
<i>Serratia plymuthica</i>	3 rd generation cephalosporin	0.0% (0/1)	--	0.0% (0/1)	--
<i>Streptococcus pyogenes</i>	Macrolide	8.3% (1/12)	10.0% (1/10)	0.0% (0/2)	1.000
<i>Streptococcus pneumoniae</i>	Macrolide	12.5% (2/16)	9.1% (1/11)	20.0% (1/5)	1.000
<i>Haemophilus influenzae non-typeable</i>	Ampicillin	25.0% (1/4)	33.3% (1/3)	0.0% (0/1)	1.000
<i>Haemophilus influenzae Type B</i>	Ampicillin	0.0% (0/1)	NA	0.0% (0/1)	--
<i>Morganella morganii</i>	3 rd generation cephalosporin	0.0% (0/4)	0.0% (0/2)	0.0% (0/2)	1.000
<i>Streptococcus agalactiae</i>	Penicillin	0.0% (0/9)	0.0% (0/8)	0.0% (0/1)	1.000