

Table 1: Characteristics of the sample at year 15 by father-child closeness status

| Characteristic | Overall (n=1166) | Extremely Close (n=367) | Quite Close (n=279) | Fairly Close (n=212) | Not very Close (n=308) |
|--|-----------------------------|--|--------------------------------|---------------------------------|---------------------------------------|
| Male, N (%) | 524 (44.9%) | 195 (53.1%) | 136 (48.7%) | 74 (34.9%) | 119 (38.6%) |
| Race, N (%) | | | | | |
| • White | 206 (17.7%) | 73 (19.9%) | 49 (17.6%) | 40 (18.9%) | 44 (14.3%) |
| • Black | 583 (50.0%) | 179 (48.8%) | 137 (49.1%) | 106 (50.0%) | 161 (52.3%) |
| • Hispanic | 329 (28.2%) | 99 (27.0%) | 78 (28.0%) | 59 (27.8%) | 93 (30.2%) |
| • Other | 48 (4.1%) | 16 (4.4%) | 15 (5.4%) | 7 (3.3%) | 10 (3.2%) |
| PCG Education College, N (%) | 762 (65.6%) | 252 (69.0%) | 178 (64.3%) | 141 (66.5%) | 191 (62.2%) |
| PCG Poverty level, N (%) | | | | | |
| • <100% | 344 (29.6%) | 84 (22.9%) | 66 (23.7%) | 69 (32.7%) | 125 (40.7%) |
| • 100-300% | 509 (43.7%) | 158 (43.1%) | 123 (44.1%) | 87 (41.2%) | 141 (45.9%) |
| • 300% + | 311 (26.7%) | 125 (34.1%) | 90 (32.3%) | 55 (26.1%) | 41 (13.4%) |
| Father age at birth, yrs | 27.9 (7.1) | 28.9 (7.1) | 28.4 (7.3) | 27.4 (7.0) | 26.6 (6.8) |
| Relationship with biological mother | | | | | |
| • Extremely close | 657 (57.3%) | 255 (70.4%) | 131 (47.8%) | 100 (47.8%) | 171 (56.6%) |
| • Quite close | 293 (25.5%) | 63 (17.4%) | 99 (36.1%) | 59 (28.2%) | 72 (23.8%) |
| • Fairly close | 141 (12.3%) | 26 (7.2%) | 32 (11.7%) | 39 (18.7%) | 44 (14.6%) |
| • Not close | 56 (4.9%) | 18 (5.0%) | 12 (4.4%) | 11 (5.3%) | 15 (5.0%) |
| LE8 metric scores at Y22 | 69.5 (12.9) | 70.3 (14.1) | 71.1 (12.3) | 68.9 (12.2) | 67.2 (12.0) |
| • Body mass index | 61.2 (37.1) | 61.6 (36.7) | 62.6 (36.5) | 61.4 (36.5) | 59.3 (38.5) |
| • Blood lipid | 85.4 (23.8) | 84.7 (24.0) | 83.8 (25.4) | 85.7 (23.1) | 87.6 (22.4) |
| • Blood pressure | 83.6 (24.0) | 82.0 (24.8) | 82.7 (23.8) | 86.1 (23.6) | 84.6 (23.3) |
| • Blood glucose | 94.5 (15.9) | 94.6 (15.5) | 94.9 (15.0) | 95.0 (16.0) | 93.7 (17.0) |
| • Nicotine exposure | 68.1 (39.2) | 72.1 (37.5) | 68.9 (38.7) | 65.6 (40.3) | 64.2 (40.5) |
| • Physical activity | 42.8 (48.0) | 49.0 (48.5) | 51.1 (48.5) | 38.6 (46.9) | 30.4 (44.8) |
| • Diet | 40.2 (31.3) | 39.8 (31.3) | 41.0 (30.7) | 39.2 (31.6) | 40.8 (31.9) |
| • Sleep | 77.4 (27.0) | 76.9 (27.4) | 79.3 (26.3) | 77.9 (26.7) | 75.9 (27.4) |
| Mean-mean CIMT, mm, at Y22 | 0.50 (0.06) | 0.50 (0.06) | 0.50 (0.06) | 0.50 (0.06) | 0.51 (0.06) |
| Mean-maximum CIMT, mm, at Y22 | 0.64 (0.07) | 0.64 (0.07) | 0.64 (0.07) | 0.63 (0.07) | 0.64 (0.07) |