

Injury Type	Hospitalization Rate per 100,000		RD (95% CI)	RR (95% CI)
	Rural	Urban		
Children (<16 yrs)				
Total	21.03 (20.30, 21.78)	3.74 (3.60, 3.88)	17.29 (16.54, 18.04)	5.62 (5.33, 5.92)
Crush	0.21 (0.15, 0.30)	0.06 (0.04, 0.08)	0.15 (0.07, 0.23)	3.62 (2.27, 5.77)
Fracture	17.08 (16.42, 17.75)	3.10 (2.97, 3.23)	13.98 (13.30, 14.66)	5.51 (5.20, 5.83)
Head	3.68 (3.38, 4.00)	0.56 (0.50, 0.61)	3.12 (2.81, 3.43)	6.61 (5.81, 7.52)
Spinal Cord	0.07 (0.04, 0.12)	0.03 (0.02, 0.05)	0.04 (0.00, 0.08)	2.28 (1.07, 4.84)
Adolescents (16-20 yrs)				
Total	47.13 (45.28, 49.06)	9.03 (8.67, 9.40)	38.10 (36.18, 40.02)	5.22 (4.93, 5.53)
Crush	0.65 (0.46, 0.91)	0.06 (0.04, 0.10)	0.59 (0.37, 0.81)	10.54 (5.80, 19.15)
Fracture	37.60 (35.96, 39.33)	7.30 (6.97, 7.63)	30.30 (28.58, 32.02)	5.15 (4.83, 5.49)
Head	8.11 (7.36, 8.93)	1.53 (1.38, 1.68)	6.58 (5.78, 7.38)	5.32 (4.63, 6.11)
Spinal Cord	0.77 (0.56, 1.05)	0.15 (0.11, 0.20)	0.62 (0.37, 0.87)	5.24 (3.35, 8.19)
Adult (≥21 yrs)				
Total	18.46 (18.12, 18.82)	4.45 (4.37, 4.52)	14.01 (13.65, 14.37)	4.15 (4.05, 4.26)
Crush	0.22 (0.19, 0.27)	0.05 (0.04, 0.06)	0.17 (0.13, 0.21)	4.79 (3.77, 6.08)
Fracture	14.70 (14.39, 15.01)	3.71 (3.64, 3.78)	10.99 (10.67, 11.31)	3.96 (3.85, 4.07)
Head	3.11 (2.97, 3.25)	0.59 (0.56, 0.62)	2.52 (2.37, 2.67)	5.27 (4.93, 5.63)
Spinal Cord	0.44 (0.38, 0.49)	0.10 (0.09, 0.11)	0.34 (0.29, 0.39)	4.24 (3.59, 5.01)