

Table 2 Baseline characteristics of hypoglycemic and non-hypoglycemic infants

Characteristics	Hypoglycemia (n=97)	Non-hypoglycemia (n=863)	p-value
Maternal age, y (mean±SD)	31.9±5.65	31.5±6.0	0.482
No antenatal care (n, %)	1 (1)	13 (1.5)	0.578
Maternal underlying disease			
• Hypertension (n, %)	6 (6.2)	25 (2.9)	0.084
• Mother with diabetes (n, %)	58 (59.8)	458 (53.1)	0.315
Prenatal steroid (n, %)	30 (30.9)	152 (17.6)	0.002
First child (n, %)	44 (45.4)	369 (42.8)	0.05
Vaginal delivery (n, %)	37 (38.1)	429 (49.7)	0.17
Male (n, %)	47 (48.5)	443 (51.3)	0.333
Gestational age, week, (mean±SD)	37 ±1.5	37.7 ±1.5	<0.001
Preterm (n, %)	50 (51.6)	273 (31.6)	<0.001
Birthweight, g (mean±SD)	3194.4 ±2085.5	2904.5 ±575.7	0.002
Growth			0.016
• AGA	74 (76.3)	688 (79.7)	
• SGA	3 (3.1)	73 (8.5)	
• LGA	20 (20.6)	102 (11.8)	
Apgar at 1 min	9 (6-9)	9 (5-9)	0.454
Apgar at 5 min	10	10 (8-10)	1.00